

Official web



Facebook



Instagram



YouTube



TikTok




Amazon US



SHIFLDONSince 1998
Make The Cut



01/02 SHIFLDON



Introduction

Guangdong Shieldon Technology Co., Ltd. is established in 2020 in the competitive worldwide market. Thanks to the headquarter's skill from DKS, Shieldon acquires its expertise and is able to offer high quality and fashionable articles.

As a specialized exporter as well as an GB/T19001 – 2016/ISO9001:2015 certified associate manufacturer, we are primarily engaged in design, manufacturing and supplying for various kinds of pocket knives & multifunctional tools, together with distinctively pragmatic outdoor gear.

The value we output is a prominent one-stop service, not only in product quality and logistics but also its innovative idea and scientific notion, which ensures our clients could be favored with mutual benefits.















Contents

Pocket Knives	3
Fixed Blade	
Multi-tools	27
More Tools	42

1) Pocket Knives

SHIELDON prides itself on providing the market with expertly-crafted pocket knives with customizable features that bring out your brand to your audience. As your one-stop-shop for affordable and highquality pocket knives, we take care of all of your needs - from design and material sourcing to quick manufacturing and packaging - all under one roof.

The **SHIELDON** brand name means the products are like a shield on your body and will protect you from any activity outdoors. SHIELDON advocates a healthy, challenging and exploring outdoor life with spirit of adventure. We design, manufacture and deliver practical knives and tools with excellent feature globally.

SHIELDON Knives



3Cr14 with carbon fiber inlay handle Enhance the elegance and value of the knife



Pivot pin with T8 screw Double ball bearing system inside

Comfortable to hole by hand

Flipper Feel good to open

Barraskewda

Item NO. Total length Blade length Blade thickness Weight Blade style Lock mechanism Open way Blade finish

9042S1-B 8.62"/219mm 3.74"/95mm 0.138"/3.5mm 4.59 oz/130a Reverse Tanto Point Frame lock Flipper + hole Black titanium coating





Green G10 handle with carbon fiber inlay Insulated, moisture-proof, antiskid



9049G1-B Empoleon

Flipper Black fitanium coating

8.43"/214mm 3.66"/93mm 0.138"/3.5mm 5.59oz/159g Reverse Tanto Point Uner lock Flipper Acid etched

7093D Tranchodon

7091D Tortank alade style

Reverse Tanto Point Iner lock Tipper + thumb stud

7070G Relicanth

7.56"/192mm 3.23"/82mm 0.118"/3mm 3.95 oz/112g Liner lock Ripper + thumb stud Grey titanium coating 9043G Bog

Blade thickness Weight Blade style 4.48 oz/127c 9050G Bazoucan

Sheepsfoo Liner lock Flipper + h Grey filanium coating





Item NO.
Total length
Blade length
Weight
Blade material
Handle material
Blade style
Lock mechanism
Open way

XW-1003 7.83"/199mm 3.39"/86mm 3.760z/106g 3Cr13 Anodized aluminum Drop point Linerlock



Item NO. XW
Total length 8.31
Blade length 3.31
Weight 4.32
Blade material Andel material Andel style Clip
Lock mechanism Open way Filip



Item NO. XW-1006
Total length 7.87"/200mm
Blade length 3.31"/84mm
Weight 3.69oz/104g
Blade material Anodized alum
Elade style Clip point
Lock mechanism
Open way Thumb stud

Item NO.
Total length
Blade length
Weight
Blade material
Handle material
Blade style
Lock mechanism
Open way

7.87"/200mm
3.35"/85mm
5.49oz/155.5g
3Crl3
Anodized aluminun
Clip point
Liner lock
Thumb stud





Item NO.
Total length
Blade length
Weight
Blade material
Handle material
Blade style
Lock mechanism
Open way

XW-1008 7.91"/201mm 2.8"/71mm 4.25oz/121g 3Cr13 Anodized aluminum Plale point Liner lock Thumb stud



Total length 6.54"/166mm Blade length 2.95"/75mm Weight 3.17oz/90g Blade material 3Cr13 Handle material Anodized aluminum Blade style Drop point Lock mechanism Liner lock Open way Thumb stud



Item NO.
Total length
Blade length
Weight
Blade material
Handle material
Blade style
Lock mechanism

Open way

XW-1011 6.18"/157mm 2.6"/66mm 2.49oz/70.5g 3Cr13 Anodized aluminum Drop point Liner lock Thumb stud



Hole

Item NO.
Total length
Blade length
Weight
Blade material
Handle material
Blade style
Lock mechanism
Open way

XW-1015 6.46"/164mm 2.87"/73mm 2.36oz/67g 3Cr13 Anodized aluminum Clip point Liner lock

*All ODM folding knives are unique design with MOQ from 1200 to 3000.
The pivot can be changed to washer, steel/ceramic ball bearing, or nothing.



Item No. Material Mock mechanism

SS-0801 Stainless steel

(L) Total length Weight

2.43oz/69g

(M) Total length

5.83"/148mm

i) Total length /eight

4.96"/126m 1.23oz/35a





Item No. Material Total length Lock mechanism SS-0808 2Cr13 7.83'/199mm (Plain edge) Blade length Weight

3.35"/85mn 5.22oz/148c

(Combo edge) Blade length Weight

2.17"/55mm 4.97oz/141g





Item No. Blade material Handle material SS-0817 3Cr13 wood & copper (L)Total length 5.91"/150mm Weight 2.54oz/72g

(S)Total length 4.25"/108mm Weight 1.48oz/42g

More handle options are available on this model.





Item NO.
Total length
Blade length
Blade thickness
Weight
Blade material
Blade HRC

GC-1756RW 7.32"/186mm 3.31"/84mm 0.079"/2mm 1.83 oz/52g 7Cr13MoV 56-58

Handle material Blade style Pocket clip Lock mechanism Open way Blade grind Rosewood Drop Point / No lock Slip joint Flat



*There are many stock items on sale.

Please confirm the available quantity before placing an order.

Item NO.

Weight

Total length

Blade length

Handle thickness

Blade material

Blade style

Pocket clip

Open way

Handle material

Lock mechanism



Item NO. Total length Blade length Weight Blade material Handle material Blade style Lock mechanism Open way

7.87"/200mm 3.35"/85mm Aluminum Clip Point

Item NO. Total length Blade length Weight Blade material Handle material Blade style Lock mechanism Open way



Item NO. Total length Blade length Weight Blade material Handle material Blade style Lock mechanism Open way

7.09"/180mm 2.76"/70mm



Item NO. Total length Blade length Weight Blade material Handle material Blade style Lock mechanism Open way

5.63"/143mm 2.36"/60mm



*Contact us to explore 30 more OEM folding knives. *For copyright reservation, there are only licensed items showed.



RJ-4202

3Cr13

Tip-up

Clip Point

Liner lock Thumb stud + flipper

8.19"/228mm

3.54"/90mm

0.53"/13.5mm

5.38 oz/152.5g

Anodized aluminum

Item NO. Total length Blade length Handle thickness Weight Blade material Handle material

8.7"/221mm 3.66"/93mm 0.52"/13mm 5.45 oz/154.5g 3Cr13 Anodized aluminum



Flashlight

8.23"/209mm 3.46"/88mm 0.54"/13.7mm 4.96 oz/140.6g Blade material 3Cr13 Handle material Anodized aluminum

Flashlight



Item NO. Total length Blade length Handle thickness Weight Blade material

RJ-4204 8.43"/214mm 3.62"/92mm 0.53"/13.4mm 4.94 oz/140g 3Cr13

Anodized aluminum Handle material




Item NO. Total length Blade length Handle thickness Weight Blade material Handle material

RJ-4206 8.11"/206mm 3.35"/85mm 0.55"/14mm 5.19 oz/147q 3Cr13 Anodized aluminum

*Contact us to explore 80 more ODM folding knives.

Phillipe screwdriver Nail file

9 functions in 1 tool



Item NO. Closed length Total thickness Weight Main body material Handle material

HF-GH-A08AL 3.82"/97mm 0.79"/20mm 5.26 oz/149g 2Cr13 Aluminum



*Contact us to explore 80 more army knives.

10 functions in 1 tool

Item NO. Closed length Total thickness Weight Main body material Handle material

3.27"/83mm 0.87"/22mm

Ü and the same of

Can opener Bottle opener



Item NO. Closed length Total thickness Weight Main body material Handle material



Item NO. Closed length Total thickness Weight Main body material Handle material

HF-GHK1P-06 4.06"/103mm



Item NO. Closed length **Total thickness** Weight Main body material Handle material



Item NO. Closed length Total thickness Weight Main body material Handle material







Item No. JLD-C-26C Total length 7.87"/200mm Blade length 2.64"/67mm Weight 4.04 oz/114.5g

Item No. JLD-C-26B-T Blade length 3.94"/100mm 8.8"/223mm Total length Weight 4.6oz/132g Item No. JLD-C-28C Blade length 3.94"/100mm 8.9"/226mm Total length Weight 5.6oz/159.5a Item No. JLD-C-27BS 3.35"/85mm Blade length Total length 7.6"/194mm Weight 3.3oz/93g


Item No. JLD-C-29 Blade length 3.94"/100mm Total length 8.8"/223mm Weight 4.6oz/132g

*Contact us to explore 20 more butterfly knives (including for practice).

[®] Fixed Blade

SHIELDON has mastered the art of creating customized fixed blade knives that cater to a wide range of markets for over 23 years. Employing the best artisans and applying modern knifemaking techniques and practices, we continue to deliver exceptional fixed blade knives that clients can rely on.

SHIELDON Knives





* All the handle's patterns are made by CNC. Those features contribute different knives to every unique names.

Item No.

Blade material

Blade length

Handle material

Total length

Blade style

Blade finish

Weight



Item No. Material Total length Weight Blade style



Item No. Material Total length Weight Blade style

11.26"/286mm 7.46oz/211.5g Standard point



Item No. Material Total length Weight Blade style

5.29oz/150g Drop point



Total length Weight Blade style

Item No.

Material

9.84"/250mm 9.12oz/258.5g Nogales clip point



Item No. Material Total length Weight Blade style

9.84"/250mm 9.12oz/258.5g



Item No. Total length Weight Blade style

8.40oz/238a







HH-0050 11.77"/299mm 7.87 "/200mm 8.84oz/250g



Item No. Total length Blade length Weight

HH-5992 10.20"/259mm 6.26 "/159mm 6.77oz/192g



Item No. Total length Blade length Weight

HH-7203 10.87"/276mm 6.77 "/172mm 7.18oz/203.5g



Item No. Total length Blade length Weight

HH-5375 10.35"/263mm 6.02 "/153mm 6.19oz/176g

^{*}Contact us to explore 10 more butchers.





Item NO. Total length Blade length Weight

RJ-4502 11.7"/297mm 6.1"/155mm 7.8 oz/221g



Item NO. Total length Blade length Weight

RJ-4503 11.7"/297mm 6.1"/155mm 13.67 oz/388g



Item NO. Total length Blade length Weight

RJ-4504 11.7"/297mm 6.1"/155mm 7.5.02/213g



Item NO. Total length Blade length Weight

RJ-4505 11.5"/292mm 5.51"/140mm 14.0 oz/398.5g





Item NO. Total length Blade length Weight

HX-002 12.01"/305mm 6.38"/162mm 15.13 oz/429g

Blade material Blade HRC Handle material Blade style

SCHF3 50-52 Carbon fiber + linen Clip Point



Item NO. Total length Blade length Weight

SWBH 16.73"/425mm 12.2"/310mm 22.54 oz/639g

Blade material Blade HRC Handle material Blade style

3Cr13 50-52 ABS Drop Point



Item NO. Total length Blade length Weight Blade style

LJL-F01 7.68"/195mm 3.54"/90mm 4.83 oz/137g Drop Point

Item NO. Total length Blade length Weight Blade style

LJL-F02 7.72"/196mm h 3.35"/85mm 5.57 oz/158g Drop Point



Item NO. Total length Blade length Weight Blade style

0. LJL-F03
ngth 8.74"/222mm
ength 4.13"/105mm
7.58 oz/215g
Clip Point

Blade material Handle material

BD1N Carbon fiber + G10



Item NO. Total length Blade length Weight

2Y-FK49A 13.78"/350mm 9.06"/230mm 2.29 oz/65g

Blade material Blade HRC Handle material Blade style

3Cr13 50-52 PP Trailing Poir



Item NO.
Total length
Blade length
Weight
Blade material
Blade HRC
Handle material
Blade style

ZY-FK071 8.07"/205mm 3.66"/93mm 2.26 oz/64g 3Cr13 50-52 PP



Item NO.
Total length
Blade length
Weight
Blade material
Blade HRC
Handie material
Blade style

Y-FK35 3.74"/222mm 4.02"/102mm 2.01 oz/57g 3Cr13 50-52 Rubber wood



Item NO.
Total length
Blade length
Weight
Blade material
Blade HRC
Handle material
Blade style

ZY-FK38 10.24"/260mm 7.48"/190mm 3.17 oz/90g 3Cr13 50-52 Color wooden Troiling Point



Item NO.
Total length
Blade length
Weight
Blade material
Blade HRC
Handle material

ZY-FK19 8.66"/220mm 3.94"/100mm 2.22 oz/63g 3Cr13 50-52 TPR Drop Point

*Contact us to explore 80 more fishing tools and fishing sets.



| Item NO. | SS-0825 | | Total length | 15.91"/404mm | Weight | 20.07oz/569g | Ax & hammer combo

| ttem NO. | SS-0826 | | Total length | 15.51"/394mm | Weight | 18.77oz/532g | | Ax & awl combo

 Item NO.
 S\$-0827

 Total length
 15.75" /400mm

 Weight
 19.26oz/546g

 Ax & awl combo





 Item NO.
 \$\$-0824

 Material
 3Cr13 & Rubber

 Total length
 11.57"/294mm

 Weight
 22.22oz/630g

 Ax & hammer combo



 Item No.
 HH-5764

 Material
 3Cr13

 Total length
 10.12"/257mm

 Weight
 9.33oz/264.5g

 Ax, awl & rope combo



*Contact us to explore 20 more hatchets & axes.


Blade Steel


HARDNESS(HRC): the resistance to chips and failure when subjected to beating, impact, twisting, and torsion.


EDGE RETENTION: a knife's ability to hold sharpness during use, whatever in dicing up box, firewood or sisal rope.


WEAR RESISTANCE: making for an all-day affair to bring them back to sharp quickly, which is vital in the wilderness.

CORROSION RESISTANCE: keeping away from pit and rust in humid, wet, and salty environment, or after meal prep acidic ingredients like citrus or tomatoes.









Handle Material



Titanium is a lightweight metal alloy, and it offers the best corrosion resistance of any metal. It's a little heavier than aluminum but still considered a much stronger metal.

Pros: Strong, light, corrosion resistance Cons: Expensive, prone to scratches



Carbon Fiber is a generic term referring to thin strands of carbon being tightly woven then set in resin. It's super strong in a single direction but starts to break apart when stressed in other directions.

Pros: Strong, lightweight, eye-catching Cons: Expensive, brittle



G-10 is a grade of Garolite that is a laminate composite made of fiberglass. Layers of fiberglass cloth and soaks are taken in resin, then compressed and baked under pressure.

Pros: Tough, light, durable Cons: Brittle, lacks elegance



Micarta is made of thin layers of linen cloths soaked in a phenolic resin, producing a product that is lightweight, strong, and looks somewhat dressier than G-10.

Pros: Tough, light, durable Cons: Expensive, brittle



Aluminum, usually anodized for color, hardness and protection, is a very durable material for knife handles. It's a low-density metal that provides for a nice, hefty feel to the knife without weighing the knife down

Pros: Light, durable, corrosion resistance Cons: Cold to hold, slippery, prone to scratches



Wood, or bone, had been used as a knife handle since knives came into existence. A good quality wood handle can be durable and attractive, making wood a relatively inexpensive material for heavy duty knives.

Pros: Various, attractive, durable, comfortable to hold Cons: Porous and instable



Stainless steel provides nice durability and resistance to corrosion but is not lightweight and grippy. It's usually used in combination with plattic acruebbes to improve the grip.

Pros: Strong, durable, corrosion resistant Cons: Heavy, slippery




Zytel, or FRN (Fiberglass Reinforces Nylon), is a thermoplastic material introduced by DuPont. Zytel, or FRN, is super strong, resistant to bending, abrasion and practically indestructible.

Pros: Strong, tough, zero maintenance, inexpensive Cons: Cheap plastic feel, less grippy than G-10

3 Multi-Tools

Matching the growing market demand, **SHIELDON** offers a range of modular multi-tools that you can customize to suit the needs of your audience. Adopting the right materials and the latest in manufacturing technology, our products undergo a strict quality control process that ensures reliable functionality and long-term use.

Patented Multi-pliers









11-in-1

- -Needle nose pliers
- -Regular pliers
- -Wire cutter
- -Knife sharpener with lock
- -Serrated Knife with Lock
- -Bottle opener
- -Corkscrew
- -Wood saw
- -Phillips screwdriver
- -Scissor (detachable)
- -Ruler

Item NO.
Closed length
Opened length
Total thickness
Weight
Main body material
Handle material

YR-6217 4.13"/105mm 6.38"/162mm 0.83"/21mm 11.18 oz/317g 2Cr13 Anodized aluminum



13-in-1

- Bottle opener
- Inner hexagon
- Screwdriver hole



Closed length Opened length Total thickness Main body material

Handle material

Anodized aluminum

Item NO. Closed length Opened length Total thickness Weight Main body material

2Cr13 Handle material Anodized aluminum

9.52 oz/270g



Pliers can be replaced with scissors.



Item NO. Closed length Opened length Total thickness Weight

Main body material Handle material

YR-6666 4.25"/108mm 6.54"/166mm 0.93"/23.6mm 9.38 oz/266g

2Cr13 Anodized aluminum





Item NO. Closed length Opened length Total thickness Weight

Main body material Handle material



YR-0275 6.1"/155mm 7.95"/202mm Item NO. Closed length Opened length Total thickness Weight Main body material Handle material

13-in-1



Item NO. Closed length Opened length Total thickness Weight Main body material Handle material

5.39"/137mm 7.6"/193mm



Item NO. Closed length Opened length Total thickness Weight Main body material

Handle material

YX-9160S 4.02"/102mm 6.46"/164mm 0.67"/17mm 9.24 oz/262g

2Cr13

Anodized aluminum







Item NO. Closed length Opened length Total thickness Weight Main body material Handle material

YX-9540P 4.09"/104mm 6.34"/161mm 0.67"/17mm 8.47 oz/240g 2Cr13 Anodized aluminum





Item NO. Closed length Opened length Total thickness Weight Main body material Handle material

YX-8230S 4.09"/104mm 6.14"/156mm 0.63°/16mm 9.59 oz/272g 2Cr13 Stainless steel





Item NO. Closed length Opened length Total thickness Weight Main body material Handle material

YX-2040A 2.99"/76mm 4.8"/122mm









Item NO. Closed length Opened length Total thickness Weight

0.88"/22.4mm Main body material Handle material



8-in-1 O-TI 1-TI
-Needle nose pliers
-Regular pliers
-Wre auther
-Knife cutter with Lock
-Carabiner
-Bottle opener
-Phillips screwdriver
-Bett clip



Item NO. Closed length Opened length Total thickness

Main body material Handle material



Item NO. HF-GHK001











5-in-1



Item NO. JQ-0301 Length 3.9"/99mm **Thickness** 0.08"/2mm Width 2.44"/62mm Weight 1.41 oz/40g Main body material 2Cr13





Item NO. JQ-0302 3.27"/83mm Length Thickness 0.34"/8.5mm Width 0.99"/25.2mm Weight 1.31 oz/37g Main body material 2Cr13

16-in-1



Item NO. JQ-0303 Length 1.73"/44mm **Thickness** 0.54"/13.7mm 1.69"/43mm Width 1.98 oz/56g Weight Main body material 2Cr13





Item NO. Length Thickness Width Weight Main body material JQ-0306 3.9"/99mm 0.85"/21.6mm

- Key hole

 -LED light with switch
 -Batch socket
 -Batch socket
 -Bottle opener
 -5mm hex wrench
 -10mm hex wrench
 -4 screw head storage ports
 -Medium flat screwdriver
 -Large flat screwdriver
 -Large phillips screwdriver
 -Large phillips screwdriver







Item NO. Length Thickness Width Weight Main body material

8-in-1





Item NO. Length **Thickness** Width Weight Main body material





Item NO. 1.65"/42mm 0.46"/11.81mm 1.65"/42mm Length **Thickness** Width Weight Main body material





Item NO Length Thickness Width Weight Main body material ABS & stainless steel


10-in-1





Item NO. Length **Thickness** Width Weight Main body material 2Cr13







JQ-0317

3.43"/87mm

1.57"/40mm

CR-V 6150

Plastic

1.68"/42.62mm

6.83oz/193.5a

Item NO. Length **Thickness** Width Weight Main body material Handle material





*Contact us to explore 40 more mini EDCs.



Item NO. Length Thickness Width Weight Main body material Handle material

JQ-0318 3.54"/90mm 1.06"/27mm

16-in-1







Item NO. Length Thickness Width Weight Main body material Handle material

3.46"/88mm 1.15"/29.23mm





Item NO. Length **Thickness** Width

Handle material

Weight Main body material

*Contact us to explore 10 more bike repair tools.



Item No. Opened length Spade length Spade width Spade thickness HH-7023 30.31"/770mm 6.3"/160mm 5.0"/127mm 0.09"/2.3mm

Handle length Handle thickness Weight Main body material Handle material

22.05"/560mm 1.11"/28.11mm 36.08 oz/1023g 2Cr13 Aluminum



Item No. HH-7222 Opened length 30.39"/772mm Spade length 6.3"/160mm Spade width 5.0"/127mm Spade thickness 0.12"/3.0mm

Handle length Handle thickness Weight Main body material Handle material

22.24"/565mm 1.15"/29.25mm 36.05 oz/1022a 2Cr13 Aluminum

*Contact us to explore 60 more Multi-ordnance spade & Multi-hatchet.



Item NO.
Opened length
Total thickness
Weight
Main body material
Handle material

13-in-1

-Needle nose pliers -Regular pliers -Wire cutter -Sharp knife

Bottle opener

-Phillips screwdriver
-Serrated blade
-Safety lock
-Screwdriver bit adapter
-Bit sleeve
-Batch Screwdriver
-Pilers

SR-KK77B 9.92"/252mm 0.69"/17.6mm 10.9 oz/309g 4Cr14 2Cr13

Item NO.
Closed length
Opened length
Total thickness
Weight
Main body material

Handle material

YX-F870A-5H 4.33"/110mm 6.3"/160mm 0.94"/24mm 9.88 oz/280g 2Cr13 Anodized aluminum

4 More Tools

Adding more value to the outdoor experience, Shieldon offers the market a wide range of exceptional tools that your market will surely appreciate. Manufactured using the same high-quality materials and superior QC standards, our line of throwing knives, utility cutters, and camping tools have the same look and feel as our pocket knives and fixed knives.

Throwing Knives



Item NO.
Designer
Opened length
Total thickness

DJ-2511A1 Django 7.99"/203mm Blade length Weight Body material 2.68"/68mm 3.56 oz/101g



Blade length Weight Main body material





Item NO. JLD-1275 Closed length 2.64"/67mm



Item NO. JLD-8555 Closed length 2.2"/56mn



Item NO. JLD-9094 Closed length 4.53"/113



Item NO. JLD-123 Closed length 4.53°/1



Item NO.
Opened length
Total thickness
Weight
Main body material
Handle material

18.7"/475mm 1.09"/27.8mm 20.32 oz/576g al 2Cr13 Anodized aluminum

YR-7576



Item NO.
Opened length
Total thickness
Weight
Main body material
Handle material

YR-9082 19.29"/490mm 1.06"/27mm 20.53 oz/582g 2Cr13 Anodized aluminum



Item NO.
Opened length
Total thickness
Weight
Main body material
Handle material

HF-K8003 6.61"/168mm 0.12"/3mm 3.92 oz/111g 2Cr13 Aluminum



 Item NO.
 HF-A106ALL

 Opened length
 3.07"/78mm

 Total thickness
 1.46"/37mm

 Weight
 5.01 oz/142g

 Main body material
 2Cr13

 Handle material
 Aluminum

Item NO.
Opened length
Total thickness
Blade length
Main body material
Handle material

HF-K544ALL 3.07"/78mm 1.3"/33mm 4.59 oz/130g 2Cr13 Aluminum



Item NO.
Opened length
Total thickness
Weight
Main body material
Handle material

HF-K703B 6.38"/162mm 0.47"/12mm 2.5 oz/71g 2Cr13 Aluminum

*Contact us to explore 10 more camping tools.



Item NO.
Total length
Total width
Total height
Weight
Maid body material
Handle material

RRH-F-310 3.74"/95mm 2.40"/61mm 0.08"/2mm 0.65 oz/18.5g 2Cr13



Item NO.
Total length
Total width
Total height
Weight
Maid body material
Handle material

RRH-F-315 6.34"/161mm 2.17"/85mm 0.11"/2.89mm 3.42 oz/97g 2Cr13



Item NO.
Total length
Total width
Total height
Weight
Maid body material
Handle material

RRH-F-316 4.84"/123mm 1.69"/43mm 0.09"/2.4mm 1.85 oz/52.5g



item NO. Total length Total width Total height Weight Maid body material Handle material

RRH-F-317 4.88"/124mm 2.09"/53mm 0.09"/2.4mm 2.05 oz/58g 2Cr13 Rubber





Item NO. Total length Total width Total height Weight Maid body material Handle material

RRH-F-388 6.42"/163mm 2.09"/53mm 0.13"/3.3mm 3.1 oz/88g 3Cr13 PVC



Item NO Total length Blade length Weight Blade material

SR-077A,SR-078A 7.28"/185mm 3.15"/80mm 2.57 oz/73g 4Cr13

Blade HRC Handle material Blade style Lock mechanism Open way

52-54 Aluminum Clip Point Liner lock Flipper + hole



Item NO
Total length
Blade length
Weight
Blade material
Blade HRC
Handle material
Blade style
Lock mechanism
Open way

SR-401A,SR-402A,SR-402G,SR-402R,SR-403A,SR-404A 3.74"/95mm 1.42"/36mm 0.88 oz/25g 3Cr13 50-52 Aluminum Clip Point Liner lock

Flipper + hole





item NO.
Opened length
Total thickness
Blade length
Weight
Handle material
Locking blade

HF-KL029 7.17"/182mm 0.67"/17mm 2.36"/60mm 4.59 oz/130g Aluminum Button Lock



Item NO.
Opened length
Total thickness
Blade length
Weight
Handle material
Locking blade

HF-GHK3 7.68"/195mm 0.67"/17mm 2.36"/60mm 5.64 oz/160g Aluminum



Item NO.
Opened length
Total thickness
Blade length
Weight
Handle material
Locking blade

HF-KL007A 6.18"/157mm 0.59"/15mm 2.36"/60mm 3.95 oz/112g Aluminum



Item NO.
Opened length
Total thickness
Blade length
Weight
Handle material
Locking blade

HF-KL027-3 6.5"/165mm 0.67"/17mm 2.36"/60mm 4.44 oz/126g Aluminum Button lock



Fire Cooking

Most multi-tools come equipped with pliers that can double as pincers to help grab ahold of meat. They're also great for flipping sausages and moving around piping hot pans or foil to help distribute the heat.



Set Up Tents

A good multi-tool has enough surface area to allow for a good whack. The knife and saw inside can also be used to fashion own stakes out of wood that found lying around.



Can Opener

Most of tools come with an opener attached, while some even have bottle openers for beers.



First Aid

Pocket a solid multi-tool then you can use it in emergencies to pull splinters and other objects from your skin. It can also be used to cut through a sleeve in case you need to fasten a quick bandage in a pinch.



Notch Belt (or any other leather)

Leather can make a blade go dull, so use the awl on the tool before it is loose. It can also be used to drill holes through wood, clothes, tents and shoes if need be.



Cracking Ice

If you wake up to find your gear frozen over in winter, you can whip out the awl to chisel away at it until it breaks. You can also use the blades as scrapers if you're in a tough spot.



Measure Your Catch

Make sure the trout caught is legal while fishing. Most tools come decked out with a ruler that can measure anything, from food caught in the wild to rope you want to hang from a tree.



Hang a Bear Bag

Close the tool and tie a rope around the center, then attach a bag and toss it over a branch. It weighs to keep the food from falling back to the ground as long as tied the other end down tightly to the ground or root.

Collaberate to expect reliable and predictable businesssuccess with our **OEM** service!



Step 1, Basic Enquiry

Express your need, and we will get back to you as soon as possible to provide solution and suggestion.



Step 2, Style Designing

Send us your graph in CAD format or simply state your idea. A customization from our range of items is also feasible.



Step 3, Offering Quote

After checking details on material, mechanism and functions, a suitable price within the project budget will be offered.



Step 4, Prototyping

Once the design details are checked, the prototype will be made to confirm, after which an order concerning knifemaking is ready to produce.



Step 5, Mass production

On the basic of mutual agreement, your unique knife is going to be available for mass production combining high-tech machines and great talented knifesmiths.



Step 6, Inspection and delivery

When production is completed, a full inspection is conducted on the product's performance. At last, just wait for the delivery and receive yourgreat knives.



Sharpness

The point of the blade should be in the 2/1 position of the spacer when the knife is closed. When the blade is not in the middle of the spacer, it won't pass the examination.



Product Structure

The goods must be the same structure as the prototype, using exactly the same components and assembly methods as perspecification.



Product Appearance

Rust, oxidation, damage or dirt must not be seen on the blade, handle, and all other parts of the product. The entire tool must be in good condition. For carbon fiber, the gap should not exceed 0.02mm.



Packaging

All packaging of the products including PE bags, cases, etc. must not be broken, damaged, mutilated, or soiled.



Logo

Engraved or printed font patterns must match the sample. Missing, mutilated, faint, jagged, double-shaded, misspelled, or skewed letters are not allowed. Everything should be the same as the sample.



Assembly of Blade

By opening the blade and check the point, only when the spring is positioned in 1/3 of the blade indicates that the knife passes the inspection.



Blade Position

The point of the blade should be in the 2/1 position of the spacer when the knife is closed. When the blade is not in the middle of the spacer, it won't pass the examination.